Those who are at high risk of aggravation of the new coronavirus (Elderly

people, people with underlying diseases, pregnant women, etc.) and Children who can not do Self-check (self-examination) and their parents

Please consider vaccination before infection spreads



Vaccination for new corona

Please vaccinate earlier.

· Vaccination for Influenza

Those who are 65 years or older and eligible for routine vaccination, If you would like to be vaccinated, please do so as soon as possible.

XInformation on vaccinations is available here





New corona

If you have phenomenon like sore throat or fever...

Those who are at high risk of aggravation of new corona virus



Those who fall under the following items and diseases are thought to be at high risk of aggravation of the new coronavirus.

☐ 65 years or older	☐ have a histo	ory of smoking 🗆	pregnant	☐ Obesity	(BMI30 or higher)	
🗆 diabetes 🗆 Can	cer 🗌 chroni	c kidney disease	□cerebrovascular o	disease 🗌 chi	ronic respiratory disease	(COPD)
☐ high blood pressure	□ Dyslipidemia	ardiovasculo 🗆	ır 🗆 Possibly we	akened immu	ne system	



Please consult with medical facilities sooner.

If you are confirmed positive with the new corona antigen qualitative test kit, please inform the doctor of the result at the time of consultation.

If you have home doctor,

please consult with your home doctor.

If you hesitate to see a doctor,

please use the telephone consultation service.



consultation center



Refer to the Consultation Service in your area, such as the Consultation and Consultation Center, or Ambulance User Manual.

Those young children who can not do self-check



Please consult with your home doctor or pediatrician. Symptoms vary depending on age.

If they are in a good mood and don't feel sick, please don't panic, then see how they are doing or consult your family doctor.

If you hesitate to see a doctor or in case of night or holidays,

please use the telephone consultation service.



Ambulance user manual





"Ambulance use manual", "Child's first aid"#8000 Pediatric first aid consultation" etc.



Children under the age of 2 are at risk of becoming infected with COVID-19, children under the age of 5 with influenza, and children with underlying diseases, regardless of age, are at risk of high aggravation of both disease. If you have any concerns, please consult with your family doctor in advance.

